

## STAINLESS STEEL TEFLON WASHER UNION TANK TEES

- Heavy duty 304 Stainless Steel castings
- Durable Teflon® washer used in union seal can be disassembled and reassembled over and over without damage
- Ensures a watertite connection
- Provides a lead free option
- High corrosion resistance



07ST-8-2u

pART NO.	Tank Connection	In-Line Connection	Centre End Length	Drain/Relief ports	Accessory ports	QUANTITY LIST		
						CTN	CASE	pRICE-A
07ST-25S-2u	1" MPT	1" MPT X 3/4" FPT	4-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	55.02
07ST-8-2u	1" MPT	1" MPT X 3/4" FPT	7-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	61.80
07ST-25-2u	1" MPT	1" MPT X 3/4" FPT	10"	(2) 1/2" FPT	(2) 1/4" FPT	4	24	67.24
07ST-14X1-2u	1" MPT	1" MPT X 3/4" FPT	13"	(2) 1/2" FPT	(2) 1/4" FPT	4	16	73.41
07ST-13S-2u	1-1/4" MPT	1-1/4" MPT X 1" FPT	4-1/2"	(2) 3/4" FPT	(2) 1/4" FPT		2	70.71
07ST-13-2u	1-1/4" MPT	1-1/4" MPT X 1" FPT	13"	(2) 3/4" FPT	(2) 1/4" FPT		2	94.33

## STAINLESS STEEL TANK TEE pACKAgES

pART NO.	LIST pRICE-A	TANK TEE	pRESSURE gAUgE	pRESSURE SWITCH	NppLE	RELIEF VALVE	BALL VALVE
TFP-ST25S2u	159.44	07ST-25S-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN05-075	SSHB52-05
TFP-ST252u	173.00	07ST-25-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN05-075	SSHB52-05
TFP-ST14X12u	180.76	07ST-14X1-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN05-075	SSHB52-05
TFP-ST132u	208.46	07ST-13-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN07-075	SSHB52-07
TFP-ST13S2u	181.33	07ST-13S-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN07-075	SSHB52-07
TFP-ST82u	166.96	07ST-8-2u	PGS25-100	9013FSG2J21C20	SSN-0230	SSRVN05-075	SSHB52-05

## pVC TANK TEES

- PVC Material
- One-Piece Molded
- Complies with ASTM Socket & ANSI Threaded Standards
- Recommended working pressure 145 PSI



pART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END	DRAIN/RELIEF pORTS LENgTH	ACCESSORY pORTS	QUANTITY CTN CASE	LIST pRICE-A
07-IC125	1-1/4" MPT X 1" F	1" MPT X 3/4" FPT	3-5/8"	(1) 3/4" FPT	(2) 1/4" FPT (1) 1/2" FPT	1 65	17.07
07PT-25-2	1" MPT	1" MPT X 3/4" Socket 11"		(2) 1/2" FPT	(2) 1/4" FPT	1 60	9.65

## COMpACT BRONZE MANIfOLDS

pART NO.	TANK CONNECTION	IN-LINE CONNECTION	DRAIN/RELIEF pORTS	ACCESSORY pORTS	QUANTITY CTN CASE	LIST pRICE-A
07M-C100B	1" FPT	1" FPT	(1) 1/2" FPT	(2) 1/4" FPT	5 50	14.17
07M-C125B	1-1/4" FPT	1-1/4" FPT	(1) 3/4" FPT	(2) 1/4" FPT	5 50	18.02



## BRONZE CONSTANT pRESSURE MANIfOLD

- Line Connections: 1 1/4" MPT x 1" FPT
- Drain Port: 3/4" (1)
- Total Length: 13-5/8"

- Tank Connection: 3/4" FPT
- Relief Valve Port: 3/4" (1)

- Transducer Port: 3/4" (1)
- Pressure Gauge Port: 1/4" (1)

pART NO.	QUANTITY		LIST
	CTN	CASE	pRICE-A
07M-125	1	16	64.86



## BRONZE CONSTANT pRESSURE MANIfOLD pACKAgE

pART NO.	QTy	LIST pRICE-A
TFP-07M125	6	114.45

Included in the Bronze Manifold Package are:

pART NO.	DESCRipTION
07M-125	Bronze Constant Pressure Manifold
PG25CBM-100-G	Center Back Mount Gauge
0852-07	3/4" Hose Bibb
RVN07-100	3/4" Brass Relief Valve
BRB-0705	3/4" X 1/2" Bronze Bushing

### BRONZE CONSTANT pRESSURE MANIfOLD pACKAgE WITH BRACKET

pART NO.	QTy	LIST pRICE-A
TFP-07M125-MB	5	146.54

Included in the Bronze Manifold Package with bracket are:

pART NO.	DESCRipTION
07M-125	Bronze Constant Pressure Manifold
PG25CBM-100-G	Center Back Mount Gauge
0852-07	3/4" Hose Bibb
RVN07-100	3/4" Brass Relief Valve
07M-125-MB	Manifold Bracket Kit includes two Zinc plated brackets & SS hardware
BRB-0705	3/4" X 1/2" Bronze Bushing



## STAINLESS STEEL CONSTANT pRESSURE MANIfOLD

- 1" FPT tank port makes this manifold functional with any tank on the market
- Tapped with two (2) 1", two (2) 3/4" and one (1) 1/4" threads
- 1" FPT ports can be bushed down to match your tank and transducer
- MPT x FPT line connections on both ends for ease of installation
- Two 3/4" ports accomodate a relief valve and a hose bibb, with a 1/4" FPT port for a 2" or 2-1/2" dial, 1/4" center back mount gauge
- Total Length: 11"

pART NO.	LINE CONNECTIONS	QUANTITY		LIST
		CTN	CASE	pRICE-A
07M-125SS	1-1/4" MPT x 1" FPT	4	24	72.73
07M-200SS	2" MPT x 1-1/2" FPT	4	16	100.39



## STAINLESS STEEL CONSTANT pRESSURE MANIfOLD pACKAgES

pART NO.	QTy	LIST pRICE-A
TFP-07M125SS	6	132.58

Included in the Stainless Steel Manifold Package are:

pART NO.	DESCRipTION
07M-125SS	Stainless Steel Constant Pressure Manifold
PGSCBM-100-G	2" Stainless Steel Center Back Mount Gauge
SSHB52-07	3/4" x 3/4" GHT Stainless Steel Hose Bibb
SSRVN07-100	3/4" #304 Stainless Steel Relief Valve
439-130 & 439-131	Sched 40 1" x 1/2" Bushing & Sched 40 1" x 3/4" Bushing

Also Available (Please call your Sales Rep for complete details):

TFP-07M125SS-01	With Stainless Steel Bushings 143.94
-----------------	--------------------------------------

### STAINLESS STEEL CONSTANT pRESSURE MANIfOLD pACKAgE WITH BRACKET

pART NO.	QTy	LIST pRICE-A
TFP-07M125SS-MB	5	164.40

Included in the Stainless Steel Manifold Package with bracket are:

pART NO.	DESCRipTION
07M-125SS	Stainless Steel Constant Pressure Manifold
PGSCBM-100-G	2" Stainless Steel Center Back Mount Gauge
SSHB52-07	3/4" x 3/4" GHT Stainless Steel Hose Bibb
SSRVN07-100	3/4" #304 Stainless Steel Relief Valve
07M-125-MB	Manifold Bracket Kit includes two Zinc plated brackets & SS hardware
439-130 & 439-131	Sched 40 1" x 1/2" Bushing & Sched 40 1" x 3/4" Bushing

Also Available (Please call your Sales Rep for complete details):

TFP-07M125SSMB-01	With Stainless Steel Bushings 175.76
-------------------	--------------------------------------



## MANIFOLD BRACKET

The bracket allows a manifold to be secured to the brackets with "u" bolts and a small pressure tank inserted to the manifold. This bracket is interchangeable to allow for two different mounting options.

Brackets are steel with zinc plated finish and are supplied with lag screws, "u" bolts, nylon nuts and plastic end caps.



pART NO.	DESCRiPTION	QUANTITY		LIST pPRICE-A
		CTN	CASE	
07M-125-MB	For 1-1/4" Manifold	1	20	37.91
07M-200-MB	For 2" Manifold	1	20	40.06

## BRASS TANK TEE / MANIFOLD ACCESSORIES - UNION CONNECTIONS

- union connectors for easy installation of inlet line (pump) and discharge (house)
- Available in barbed (poly pipe) and Solder configurations
- Insert, pex and solder connections available. The solder connection is designed for 1" copper pipe (external) 3/4" copper pipe (internal)
- American Standard BuNA N O-ring used to ensure watertite connection
- Replacement O-Rings available
- See Section 4 for pricing





pART NO.	UNION NUT CONNECTS TO	UNION CONNECTIONS NUT x pIpE	O-RING SIZE	QUANTITY	
				CTN	CASE
07-uC10-B	1" MPT	1" FPT x 1" INS - 7 Barbs	AS568-212	32	128
07-uC10-P07	1" MPT	1" FPT x 3/4" PEX	AS568-212	50	200
07-uC10-P10	1" MPT	1" FPT x 1" PEX	AS568-212	40	160
07-uC10-S	1" MPT	1" FPT x 1" Spigot x 3/4" Socket	AS568-212	40	160
07-uC12-B10	1-1/4" MPT	1-1/4" FPT x 1" INS - 7 Barbs	AS568-320	18	72
07-uC12-B	1-1/4" MPT	1-1/4" FPT x 1-1/4" INS - 7 Barbs	AS568-320	18	72
07-uC12-P07	1-1/4" MPT	1-1/4" FPT x 3/4" PEX	AS568-320	36	144
07-uC12-P10	1-1/4" MPT	1-1/4" FPT x 1" PEX	AS568-320	24	96
07-uC12-S	1-1/4" MPT	1-1/4" FPT x 1" Spigot x 3/4" Socket	AS568-320	30	120

## YELLOW BRASS UNION HEX NIPPLE

- Specially designed for use with 07-uC10 and 07-uC12 Series union Adapters.  
Heavy wall (Sched 80) nipple provides a wide/smooth seat for O-ring to seal against.
- Can be used as a standard brass hex nipple/shoulder nipple in any application
  - See Section 4 for pricing



pART NO.	SIZE	QTY
		CASE
07-uC10-N	1" MPT X 1" MPT	120
07-uC12-N	1-1/4" MPT X 1-1/4" MPT	96

VALVE ADDITIONAL BALL		0822-07	0822-07	0822-1	0822-07
Nipple		BRN-0715	BRN-0715		GN-102N-1020
ADAPTER		FA-100	FA-100		
CHECK VALVE		17CV100	17CV100	17CV100	17CV100

RELIEF VALVE		BRN-0715	BRN-0715	BRN-0715	BRN-0715
Nipple					GN-102N-1020

SEDIMENT PRESSURE SWITCH		FSG2J21M4	FSG2J21M4	FSG2J21M4	FSG2J21M4
--------------------------------	--	-----------	-----------	-----------	-----------

GAUGE		GPG-0100	GPG-0100	GPG-0100	GPG-0100
FAUCET		0822-07	0822-07	0822-07	0822-07

SOLID BRASS TANK TEE		2-07TK-13S-2	2-07TK-13S-2	2-07TK-13S-2	2-07TK-13S-2
BRONZE TANK TEE		07TK-14X1-2	07TK-14X1-2	07TK-14X1-2	07TK-14X1-2
PACKAGES		07TK-25SF-2u	07TK-25SF-2u	07TK-25SF-2u	07TK-25SF-2u
PACKAGES		07TK-13S-2u	07TK-13S-2u	07TK-13S-2u	07TK-13S-2u

PRICE-A LIST		76.38	98.86	67.67	82.11	9.27	33.97	70.74	84.55	95.32	107.28	163.09	32.94	708.69	551.08	742.06	90.14	77.02	121.02	52.39	99.26	421.08	55.68	62.65	83.54
-----------------	--	-------	-------	-------	-------	------	-------	-------	-------	-------	--------	--------	-------	--------	--------	--------	-------	-------	--------	-------	-------	--------	-------	-------	-------

PART NO.		TFP-2TKO14X12H	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2	TFP-TK13S-2
----------	--	----------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------