

## #316 STAINLESS STEEL FITTINGS - 150 LBS.

### #316 STAINLESS STEEL FITTINGS

- CRN Number for Stainless Steel Fittings CA 8124.5
- Investment Cast

### STANDARD SPECIFICATIONS:

- MATERIALS: ASTM A351
- DIMENSIONS: MSS SP-114
- THREADS: ANSI B1.20.1

SIZE	#316 PART NO.	QUANTITY CTN CASE	LIST PRICE-T
------	---------------	-------------------	--------------

SIZE	#316 PART NO.	QUANTITY CTN CASE	LIST PRICE-T
------	---------------	-------------------	--------------

### BUSHINGS

1/4 X 1/8	SSB-0201	200	1200	4.82
3/8 X 1/8	SSB-0301	150	600	6.29
3/8 X 1/4	SSB-0302	150	600	5.62
1/2 X 1/8	SSB-0501-3	150	600	6.43
1/2 X 1/4	SSB-0502	150	600	6.43
1/2 X 3/8	SSB-0503	150	600	6.43
3/4 X 1/8	SSB-0701-3	50	300	8.44
3/4 X 1/4	SSB-0702-3	50	300	8.44
3/4 X 3/8	SSB-0703	50	300	8.44
3/4 X 1/2	SSB-0705	50	300	8.44
1 X 1/4	SSB-1002-3	50	200	13.66
1 X 3/8	SSB-1003-3	50	200	13.66
1 X 1/2	SSB-1005	50	200	13.66
1 X 3/4	SSB-1007	50	200	13.66
1- 1/4 X 1/4	SSB-1202-3	30	120	20.75
1-1/4 X 3/8	SSB-1203-3	30	120	20.75
1-1/4 X 1/2	SSB-1205-3	30	120	20.75
1-1/4 X 3/4	SSB-1207	30	120	20.75
1-1/4 X 1	SSB-1210	30	120	20.75
1-1/2 X 1/2	SSB-1505-3	25	75	24.77
1-1/2 X 3/4	SSB-1507-3	25	75	24.77
1-1/2 X 1	SSB-1510	25	75	24.77
1-1/2 X 1-1/4	SSB-1512	25	75	24.77
2 X 1/2	SSB-2005-3	20	60	35.62
2 X 3/4	SSB-2007-3	20	60	35.62
2X1	SSB-2010-3	20	60	35.62
2 X 1-1/4	SSB-2012	20	60	35.62
2 X 1-1/2	SSB-2015	20	60	35.62
2-1/2 X 1	SSB-2510-3	1	24	57.71
2-1/2 X 1-1/4	SSB-2512-3	1	24	57.71
2-1/2 X 1-1/2	SSB-2515	2	24	57.71
2-1/2 X 2	SSB-2520	1	24	57.71
3X2	SSB-3020	1	20	79.27
3 X 2-1/2	SSB-3025	1	20	79.27
4X2	SSB-4020-3	1	10	133.76
4 X 2-1/2	SSB-4025	1	10	133.76
4X3	SSB-4030	1	10	133.76



### COUPLINGS

1/8	SSC-01	120	720	5.49
1/4	SSC-02	120	480	5.49
3/8	SSC-03	50	300	6.03
1/2	SSC-05	60	240	8.30
3/4	SSC-07	50	150	10.18
1	SSC-10	25	75	18.21
1-1/4	SSC-12	32	64	25.84
1-1/2	SSC-15	18	36	28.52
2	SSC-20	12	24	41.51
2-1/2	SSC-25	1	16	66.28
3	SSC-30	1	12	101.23
4	SSC-40	1	7	156.53



### CAPS

1/8	SSCA-01	200	1200	4.69
1/4	SSCA-02	200	800	4.69
3/8	SSCA-03	100	600	5.49
1/2	SSCA-05	75	300	5.89
3/4	SSCA-07	60	240	7.63
1	SSCA-10	35	140	12.59
1-1/4	SSCA-12	25	100	20.08
1-1/2	SSCA-15	25	75	32.40
2	SSCA-20	18	54	34.28
2-1/2	SSCA-25	1	30	57.71
3	SSCA-30	1	20	76.05
4	SSCA-40	1	14	132.16



### CROSSES

1/8	SSCR-01	80	480	13.93
1/4	SSCR-02	60	360	13.93
3/8	SSCR-03	60	120	15.67
1/2	SSCR-05	45	90	18.08
3/4	SSCR-07	30	60	25.71
1	SSCR-10	16	32	35.08
1-1/4	SSCR-12	9	18	51.42
1-1/2	SSCR-15	8	16	59.99
2	SSCR-20	6	12	90.51
2-1/2	SSCR-25	5	10	137.24



### 90° ELBOWS

1/8	SSE-01	100	600	6.03
1/4	SSE-02	70	420	6.03
3/8	SSE-03	45	270	7.10
1/2	SSE-05	50	200	8.44
3/4	SSE-07	30	90	12.45
1	SSE-10	20	60	25.57
1-1/4	SSE-12	20	40	36.22
1-1/2	SSE-15	10	20	39.78
2	SSE-20	8	16	46.60
2-1/2	SSE-25	1	15	91.45
3	SSE-30	1	10	121.58
4	SSE-40	1	5	242.35



### 45° ELBOWS

1/8	SSE4-01	100	600	7.36
1/4	SSE4-02	70	420	7.36
3/8	SSE4-03	50	300	8.57
1/2	SSE4-05	50	200	10.18
3/4	SSE4-07	40	120	13.79
1	SSE4-10	20	60	18.88
1-1/4	SSE4-12	20	40	26.24
1-1/2	SSE4-15	15	30	34.55
2	SSE4-20	9	18	47.40



## #316 STAINLESS STEEL FITTINGS - 150 LBS.

### #316 STAINLESS STEEL FITTINGS

- CRN Number for Stainless Steel Fittings CA 8124.5
- Investment Cast

### STANDARD SPECIFICATIONS:

- MATERIALS: ASTM A351
- DIMENSIONS: MSS SP-114
- THREADS: ANSI B1.20.1

SIZE	#316 PART NO.	QUANTITY CTN CASE	LIST PRICE-T
------	---------------	-------------------	--------------

SIZE	#316 PART NO.	QUANTITY CTN CASE	LIST PRICE-T
------	---------------	-------------------	--------------

### LOCKNUT

1/8	SSLN-01	100	600	3.21
1/4	SSLN-02	100	600	3.21
3/8	SSLN-03	100	600	3.62
1/2	SSLN-05	100	600	4.82
3/4	SSLN-07	50	300	5.22
1	SSLN-10	60	240	10.18
1-1/4	SSLN-12	60	120	13.66
1-1/2	SSLN-15	50	100	14.46
2	SSLN-20	1	80	20.75



### REDUCING COUPLINGS

1/4 X 1/8	SSRC-0201	140	240	8.03
3/8 X 1/8	SSRC-0301	120	360	9.64
3/8 X 1/4	SSRC-0302	120	360	9.64
1/2 X 1/8	SSRC-0501-3	100	300	12.85
1/2 X 1/4	SSRC-0502	100	300	12.85
1/2 X 3/8	SSRC-0503	80	240	12.85
3/4 X 1/4	SSRC-0702-3	60	180	16.87
3/4 X 3/8	SSRC-0703	60	180	16.87
3/4 X 1/2	SSRC-0705	60	180	16.87
1 X 3/8	SSRC-1003-3	60	120	21.96
1 X 1/2	SSRC-1005	50	100	21.96
1 X 3/4	SSRC-1007	50	100	21.96
1-1/4 X 1/2	SSRC-1205-3	40	80	27.98
1-1/4 X 3/4	SSRC-1207	40	80	27.98
1-1/4 X 1	SSRC-1210	30	60	27.98
1-1/2 X 1/2	SSRC-1505-3	30	60	36.02
1-1/2 X 3/4	SSRC-1507-3	30	60	36.02
1-1/2 X 1	SSRC-1510	25	50	36.02
1-1/2 X 1-1/4	SSRC-1512	24	48	36.02
2 X 1/2	SSRC-2005-3	21	42	56.91
2 X 3/4	SSRC-2007-3	21	42	56.91
2X1	SSRC-2010-3	21	42	56.91
2 X 1-1/4	SSRC-2012	1	20	56.91
2 X 1-1/2	SSRC-2015	1	20	56.91
2-1/2 X 2	SSRC-2520	1	16	100.15
3X2	SSRC-3020	1	12	136.17
3 X 2-1/2	SSRC-3025	1	12	136.17
4X3	SSRC-4030	1	9	224.95



### MERCHANT COUPLING

1/2	SSMC-05			7.92
3/4	SSMC-07			9.81
1	SSMC-10	25	75	17.48
1-1/4	SSMC-12	32	64	26.64
1-1/2	SSMC-15	18	36	27.41
2	SSMC-20	12	24	39.73



### PLUGS

1/8	SSP-01	180	1080	4.42
1/4	SSP-02	150	900	4.42
3/8	SSP-03	90	540	4.82
1/2	SSP-05	80	480	5.22
3/4	SSP-07	50	300	7.23
1	SSP-10	40	160	11.11
1-1/4	SSP-12	25	100	16.87
1-1/2	SSP-15	36	72	22.23
2	SSP-20	15	45	30.39
2-1/2	SSP-25	1	40	56.10
3	SSP-30	1	30	73.64
4	SSP-40	1	8	108.05



(1/8, 1/4 and 3/8 are solid)

### 90° ST ELBOWS

1/8	SSSE-01	100	600	7.77
1/4	SSSE-02	70	420	7.77
3/8	SSSE-03	40	240	8.17
1/2	SSSE-05	60	180	10.85
3/4	SSSE-07	30	90	14.59
1	SSSE-10	30	60	23.70
1-1/4	SSSE-12	20	40	36.15
1-1/2	SSSE-15	13	26	45.66
2	SSSE-20	7	14	67.22
2-1/2	SSSE-25	1	13	100.82
3	SSSE-30	1	8	162.95
4	SSSE-40	1	4	291.09



### TEES

1/8	SST-01	75	450	8.17
1/4	SST-02	50	300	8.17
3/8	SST-03	45	180	9.37
1/2	SST-05	40	120	11.65
3/4	SST-07	35	70	15.93
1	SST-10	20	40	22.76
1-1/4	SST-12	14	28	34.14
1-1/2	SST-15	11	22	40.30
2	SST-20	6	12	58.91
2-1/2	SST-25	1	10	132.29
3	SST-30	1	6	189.33
4	SST-40	1	4	347.46



### UNIONS

1/8	SSU-01	60	360	19.28
1/4	SSU-02	30	180	19.28
3/8	SSU-03	35	140	20.75
1/2	SSU-05	30	120	24.37
3/4	SSU-07	25	75	28.79
1	SSU-10	20	40	47.53
1-1/4	SSU-12	18	36	63.20
1-1/2	SSU-15	12	24	84.09
2	SSU-20	8	16	106.45
2-1/2	SSU-25	1	10	178.62
3	SSU-30	1	7	222.13
4	SSU-40	1	5	333.94



## #304 STAINLESS STEEL FITTINGS - 150 LBS.

SIZE	#304 PART NO.	QUANTITY CTN CASE	LIST PRICE-U
------	------------------	----------------------	-----------------

SIZE	#304 PART NO.	QUANTITY CTN CASE	LIST PRICE-U
------	------------------	----------------------	-----------------

### BUSHINGS

1/4 X 1/8	2-SSB-0201	200 1200	3.90
3/8 X 1/8	2-SSB-0301	150 600	4.04
3/8 X 1/4	2-SSB-0302	150 600	4.04
1/2 X 1/8	2-SSB-0501-3	150 600	4.46
1/2 X 1/4	2-SSB-0502	150 600	4.46
1/2 X 3/8	2-SSB-0503	150 600	4.46
3/4 X 1/8	2-SSB-0701-3	50 300	6.41
3/4 X 1/4	2-SSB-0702-3	50 300	6.41
3/4 X 3/8	2-SSB-0703	50 300	6.41
3/4 X 1/2	2-SSB-0705	50 300	6.41
1 X 1/4	2-SSB-1002-3	50 200	8.64
1 X 3/8	2-SSB-1003-3	50 200	8.64
1 X 1/2	2-SSB-1005	50 200	8.64
1 X 3/4	2-SSB-1007	50 200	8.64
1-1/4 X 1/4	2-SSB-1202-3	30 120	12.83
1-1/4 X 3/8	2-SSB-1203-3	30 120	12.83
1-1/4 X 1/2	2-SSB-1205-3	30 120	12.83
1-1/4 X 3/4	2-SSB-1207	30 120	12.83
1-1/4 X 1	2-SSB-1210	30 120	12.83
1-1/2 X 1/2	2-SSB-1505-3	25 75	16.17
1-1/2 X 3/4	2-SSB-1507-3	25 75	16.17
1-1/2 X 1	2-SSB-1510	25 75	16.17
1-1/2 X 1-1/4	2-SSB-1512	25 75	16.17
2 X 1/2	2-SSB-2005-3	20 60	24.40
2 X 3/4	2-SSB-2007-3	20 60	24.40
2X1	2-SSB-2010-3	20 60	24.40
2 X 1-1/4	2-SSB-2012	20 60	24.40
2 X 1-1/2	2-SSB-2015	20 60	24.40



### CAPS

1/8	2-SSCA-01	200 1200	4.04
1/4	2-SSCA-02	200 800	4.04
3/8	2-SSCA-03	100 600	4.04
1/2	2-SSCA-05	75 300	4.04
3/4	2-SSCA-07	60 240	5.72
1	2-SSCA-10	35 140	7.81
1-1/4	2-SSCA-12	25 100	11.01
1-1/2	2-SSCA-15	25 75	14.92
2	2-SSCA-20	18 54	19.94



### CROSSES

1/8	2-SSCR-01	80 480	11.85
1/4	2-SSCR-02	60 360	12.13
3/8	2-SSCR-03	60 120	12.41
1/2	2-SSCR-05	45 90	12.55
3/4	2-SSCR-07	30 60	16.87
1	2-SSCR-10	16 32	23.00
1-1/4	2-SSCR-12	9 18	37.23
1-1/2	2-SSCR-15	8 16	45.03
2	2-SSCR-20	6 12	80.45



### 90° ELBOWS

1/8	2-SSE-01	100 600	5.30
1/4	2-SSE-02	70 420	5.58
3/8	2-SSE-03	45 270	5.86
1/2	2-SSE-05	50 200	6.00
3/4	2-SSE-07	30 90	8.23
1	2-SSE-10	20 60	11.99
1-1/4	2-SSE-12	20 40	20.08
1-1/2	2-SSE-15	10 20	24.54
2	2-SSE-20	8 16	38.34



### COUPLINGS

1/8	2-SSC-01	120 720	4.46
1/4	2-SSC-02	120 480	4.74
3/8	2-SSC-03	50 300	4.88
1/2	2-SSC-05	60 240	6.27
3/4	2-SSC-07	50 150	7.39
1	2-SSC-10	25 75	12.83
1-1/4	2-SSC-12	32 64	18.26
1-1/2	2-SSC-15	18 36	24.82
2	2-SSC-20	12 24	30.67



### 45° ELBOWS

1/8	2-SSE4-01	100 600	5.86
1/4	2-SSE4-02	70 420	6.41
3/8	2-SSE4-03	50 300	6.55
1/2	2-SSE4-05	50 200	6.83
3/4	2-SSE4-07	40 120	8.78
1	2-SSE4-10	20 60	13.38
1-1/4	2-SSE4-12	20 40	21.75
1-1/2	2-SSE4-15	15 30	27.88
2	2-SSE4-20	9 18	39.32



## #304 STAINLESS STEEL FITTINGS - 150 LBS.

SIZE	#304 PART NO.	QUANTITY CTN	CASE	LIST PRICE-U
------	---------------	--------------	------	--------------

### LOCKNUT

3/8	2-SSLN-03	100	600	3.76
1/2	2-SSLN-05	100	600	3.29
3/4	2-SSLN-07	50	300	3.58
1	2-SSLN-10	60	240	6.29
1-1/4	2-SSLN-12	60	120	9.39
1-1/2	2-SSLN-15	50	100	10.07
2	2-SSLN-20	1	80	14.23



### PLUGS

1/8	2-SSP-01	180	1080	3.62
1/4	2-SSP-02	150	900	3.76
3/8	2-SSP-03	90	540	3.90
1/2	2-SSP-05	80	480	4.04
3/4	2-SSP-07	50	300	5.30
1	2-SSP-10	40	160	8.09
1-1/4	2-SSP-12	25	100	9.34
1-1/2	2-SSP-15	36	72	11.71
2	2-SSP-20	15	45	16.59



(1/8, 1/4 and 3/8 are solid)

### 90° ST ELBOWS

1/8	2-SSSE-01	100	600	6.69
1/4	2-SSSE-02	70	420	6.97
3/8	2-SSSE-03	40	240	7.11
1/2	2-SSSE-05	60	180	7.39
3/4	2-SSSE-07	30	90	10.18
1	2-SSSE-10	30	60	14.08
1-1/4	2-SSSE-12	20	40	21.89
1-1/2	2-SSSE-15	13	26	30.67
2	2-SSSE-20	7	14	45.73



### REDUCING ELBOWS

1-1/4 X 1	2-SSRE-1210	20	40	
-----------	-------------	----	----	--

SIZE	#304 PART NO.	QUANTITY CTN	CASE	LIST PRICE-U
------	---------------	--------------	------	--------------

### REDUCING COUPLINGS

1/4 X 1/8	2-SSRC-0201	140	240	4.04
3/8 X 1/8	2-SSRC-0301	120	360	4.32
3/8 X 1/4	2-SSRC-0302	120	360	4.32
1/2 X 1/8	2-SSRC-0501-3	100	300	5.16
1/2 X 1/4	2-SSRC-0502	100	300	5.16
1/2 X 3/8	2-SSRC-0503	80	240	5.16
3/4 X 1/4	2-SSRC-0702-3	60	180	6.27
3/4 X 3/8	2-SSRC-0703	60	180	7.39
3/4 X 1/2	2-SSRC-0705	60	180	7.39
1 X 3/8	2-SSRC-1003-3	60	120	12.83
1 X 1/2	2-SSRC-1005	50	100	12.83
1 X 3/4	2-SSRC-1007	50	100	12.83
1-1/4 X 1/2	2-SSRC-1205-3	40	80	18.26
1-1/4 X 3/4	2-SSRC-1207	40	80	18.26
1-1/4 X 1	2-SSRC-1210	30	60	18.26
1-1/2 X 1/2	2-SSRC-1505-3	30	60	24.82
1-1/2 X 3/4	2-SSRC-1507-3	30	60	24.82
1-1/2 X 1	2-SSRC-1510	25	50	24.82
1-1/2 X 1-1/4	2-SSRC-1512	24	48	24.82
2 X 1/2	2-SSRC-2005-3	21	42	30.67
2 X 3/4	2-SSRC-2007-3	21	42	30.67
2X1	2-SSRC-2010-3	21	42	30.67
2 X 1-1/4	2-SSRC-2012	1	20	30.67
2 X 1-1/2	2-SSRC-2015	1	20	30.67



### TEES

1/8	2-SST-01	75	450	7.11
1/4	2-SST-02	50	300	7.39
3/8	2-SST-03	45	180	7.53
1/2	2-SST-05	40	120	7.81
3/4	2-SST-07	35	70	11.15
1	2-SST-10	20	40	16.17
1-1/4	2-SST-12	14	28	29.84
1-1/2	2-SST-15	11	22	33.18
2	2-SST-20	6	12	52.42



### UNIONS

1/8	2-SSU-01	60	360	16.45
1/4	2-SSU-02	30	180	16.73
3/8	2-SSU-03	35	140	16.87
1/2	2-SSU-05	30	120	17.01
3/4	2-SSU-07	25	75	23.00
1	2-SSU-10	20	40	31.93
1-1/4	2-SSU-12	18	36	45.73
1-1/2	2-SSU-15	12	24	58.14
2	2-SSU-20	8	16	78.77

